



**PJ-773**



## A4 Portable Printer Series

The smallest, most advanced A4 portable thermal printer on the market with all-inclusive mobile device support and 'out of the box' performance.



# PJ-773

## Quality A4 printing on the move

### USER FLEXIBILITY

Compatible with a wide range of mobile devices and operating systems, including support for Apple Airprint.



### RELIABLE

Direct thermal print suitable for a wide range of environmental conditions.

### LIGHTWEIGHT & PORTABLE

Ideal for A4 and A5 printing on the move, weighing only 610g with battery.



### EASY TO INTEGRATE

Simple integration into existing applications with free software development kit (SDK)\*.

### EASY TO USE

No ink cartridges or toners to change on the move.

### CUSTOMISABLE

Variety of charging and accessory options. (including vehicle mounting)

\*Available from: [www.brother.co.za](http://www.brother.co.za)



203 x 200dpi

300 x 300dpi

OS Compatibility





# Vertical Markets and Applications

We've combined smart design with in-depth knowledge of today's evolving mobile workforce. The PJ-773 series can be used in just about any physical configuration that a customer's work environment requires – mounted in a vehicle, transportable to a jobsite, carried in a case, or simply stowed in a backpack. Users are free to print, anytime and anywhere.

## FIELD WORKFORCE

- ✓ Service reports
- ✓ Safety reports and appliance certifications
- ✓ Sales invoices and contracts

## PEST MANAGEMENT

- ✓ Printing regulatory notices
- ✓ Inspection and service reports
- ✓ Material safety data sheet (MSDS)

## COMMUNITY HEALTHCARE

- ✓ Printing patient case notes and treatment reports

## EMERGENCY SERVICES






- ✓ Incident reports, heat maps, schematics
- ✓ Patient treatment information
- ✓ Ticketing, penalty notices

## FARM/LARGE ANIMAL VETS

- ✓ Printing visit/treatment report as part of Veterinary Practice.



# Accessories

Carrying / Protection / Mounting Options				
PA-RH-600	PA-RB-001	PA-RC-001	PA-CC-500	PA-CM-500
Paper roll holder	Protective cover	Roll printer case	Carry case	Car mounting kit
				

Power Options			
PA-BT-002	PA-AD-600EU	PA-CD-600CG	PA-CD-600WR
Li-ion rechargeable battery	AC adapter (EU)	12V car adapter (cigarette socket)	12V car adapter (permanently wired)
			

# Specifications

<b>PRINTING</b>		PJ-773	
Print resolution	300 x 300dpi		
Print technology	Direct thermal		
Printing speed	Ave.: 8ppm (under Brother standard environment) [1]		
Paper feed method	Manual paper feed		
Print width	208.8mm		
No. of pages per battery charge	Rechargeable Li-ion Battery: approximately 600 Sheets (1.9% printing duty and using a fully charged new battery)		
<b>INTERFACES</b>			
USB	USB Ver.2.0 (full speed) type A to mini type B (printer)		
Wireless-LAN	IEEE802.11b/g/n (Infrastructure mode) IEEE802.11b/g/n (Adhoc mode) IEEE802.11g/n (Wireless direct)		
Wireless-LAN Security	<b>INFRASTRUCTURE MODE</b> < Personal mode > Open System (None/WEP) Public Key Authentication (WEP) WPA-PSK/WPA2-PSK (TKIP/AES) < Enterprise mode > LEAP (CKIP) EAP-FAST (TKIP/AES) PEAP (TKIP/AES) EAP-TTLS (TKIP/AES) EAP-TLS (TKIP/AES) <b>ADHOC MODE</b> Open System (None/WEP) <b>WIRELESS DIRECT</b> WPA2-PSK (AES)		
<b>PJ ESC/P LANGUAGE</b>			
Built-in fonts	Bitmap font: Helsinki, Brussel, Letter Gothic Bold Outline font: Helsinki, Brussel, Letter Gothic		
Font sizes	10 cpi, 12 cpi, 15 cpi and proportional sizes		
Barcode support	Yes		
<b>TEMPLATE/FORM STORAGE</b>			
Memory size (RAM/Flash/User)	32MB / 32MB / 6MB		
<b>GENERAL</b>			
Dimensions	255(W) x 55(D) x 30(H) mm		
Weight excl battery & paper	480g (approx)		
Battery	Rechargeable Li-ion Battery 10.8V (optional accessory)		
AC adapter	AC adapter 15 V (optional accessory)		
Car adapter	Cigarette lighter plug or permanently wired (optional accessories)		
Operating system support	Windows® Vista/7/8/8.1/10 Windows® Server 2008/2008 R2; Windows® Server 2012/2012 R2 - Mac OS X v 10.8/10.9/10.10 - Linux		
Mobile OS	Android - USB	Android	Android/iOS
<b>ENVIRONMENTAL</b>			
Temperature	-10°C to +50°C (during operation) / -20°C to +60°C (during storage)		
Humidity	20% to 80% (no condensation - during operation and storage)		
Auto power off	Yes: 15 settings		
<b>CONTENTS</b>			
Quick setup guide, CD-ROM (Printer driver and user guide), USB cable, Head cleaning sheet			

[1] Brother standard environment is based on using A4 size with JAITA J1 pattern at 23 degrees C via USB using AC adaptor or Li-ion battery

## Brother International South Africa

96 Sovereign Drive, Route 21 Corporate Park, Irene  
Tel: +27 (0) 12 - 345 5332 Fax: +27 (0) 12 - 345 3886

[www.brother.co.za](http://www.brother.co.za) [support.brother.com](http://support.brother.com)

